

County Administrator
Paul Drawdy
County Attorney
Andy R. Beaver
County Clerk
Amanda Hannah



Board of Commissioners
Mike Gordon
Kevin McCrary
Tim Hopkins
James Thomas
Randy Franks

February 4, 2026

**2026 LMIG CONTRACT
ADDENDUM NO. 3**

This Addendum is issued on behalf of the Wayne County Board of Commissioners and is hereby incorporated into the Proposal Documents. All prospective bidders must consider the following revisions and clarifications in preparing their proposals. Bidders are required to acknowledge receipt of this Addendum in the Bid Form. Failure to do so will render the proposal non-responsive.

Addendum Item – Contract Form:

"The Contractor and the Owner agree that all requirements of the Contract shall comply with the Department of Transportation State of Georgia Standard Specifications, Construction of Transportation Systems, 2021 Edition, and Special Provisions modifying them. Potential GDOT construction inspections and acceptance are conditions of this Contract."

Notwithstanding the temperature guidelines in the GDOT Standard Specifications and Special Provisions (including any lift thickness-based minimum temperature table), the minimum ambient air and pavement surface temperature for placement of hot mix asphaltic concrete shall not be less than 55°F (13°C), regardless of lift thickness, unless otherwise expressly approved in writing by the Owner (County Engineer)."

Brandon Purcell, PE
County Engineer
End of ADDENDUM NO. 3